

Sample Name: Sour Diesel Rosin
LIMS Sample ID: 190627T006
Batch #: 01-KANAG-SD-1G-LR
Sample Metric ID:
Sample Type: Concentrate, Product Inhalable
Batch Count: 1276 Unit(s)
Sample Count: 13 Unit(s)
Unit Mass: 1 Grams per Unit
Serving Mass:
Density:

Date Collected: 06/27/2019
Date Received: 06/27/2019
Tested for: Accention Inc.
License #: C11-18-0000156-TEMP
Address: 711 Independent Rd. Oakland, CA 94621
Produced by: Trichometry Inc
License #: CDPH-10003212
Address: 1881 Barnett Rd. Unit #7 Redway CA 95560

Overall result for batch 01-KANAG-SD-1G-LR: Pass

Moisture Test Results

	Results (%)
Moisture	NT

Cannabinoid Test Results

06/29/2019

Cannabinoid analysis utilizing High Performance Liquid Chromatography (HPLC, QSP 5-4-4-4)

	mg/g	%	LOD / LOQ mg/g
THC	10.287	1.0287	0.052 / 0.158
THCa	763.675	76.3675	0.052 / 0.156
CBD	ND	ND	0.052 / 0.158
CBDa	3.307	0.3307	0.052 / 0.156
CBN	ND	ND	0.052 / 0.157
CBDV	ND	ND	0.021 / 0.063
CBDVa	ND	ND	0.037 / 0.111
CBG	2.462	0.2462	0.030 / 0.092
CBGa	21.498	2.1498	0.044 / 0.133
THCV	ND	ND	0.023 / 0.069
Δ8 - THC	ND	ND	0.053 / 0.162
CBC	ND	ND	0.031 / 0.094
THCVa	3.431	0.3431	0.091 / 0.276
CBL	ND	ND	0.130 / 0.393
CBCa	7.754	0.7754	0.129 / 0.392

Sum of Cannabinoids:	812.414	81.2414	812.414 mg/Unit
Total THC (Δ9THC+0.877*THCa)	680.030	68.003	680.030 mg/Unit
Total CBD (CBD+0.877*CBDa)	2.900	0.290	2.900 mg/Unit

	Action Limit mg		
THC per Unit	1000.0	Pass	10.287 mg/Unit
THC per Serving			

Batch Photo



Water Activity Test Results

	Results (Aw)	Action Limit Aw
Water Activity	NT	

Terpene Test Results

Terpene analysis utilizing Gas Chromatography - Flame Ionization Detection (GC - FID)

	mg/g	%	LOD / LOQ mg/g
☐ Bisabolol	NT		
☐ Pinene	NT		
3 Carene	NT		
Borneol	NT		
☐ Caryophyllene	NT		
Geraniol	NT		
☐ Humulene	NT		
Terpinolene	NT		
Valencene	NT		
Menthol	NT		
Nerolidol	NT		
Camphene	NT		
Eucalyptol	NT		
☐ Cedrene	NT		
Camphor	NT		
(-)-Isopulegol	NT		
Sabinene	NT		
☐ Terpinene	NT		
☐ Terpinene	NT		
Linalool	NT		
Limonene	NT		
Myrcene	NT		
Fenchol	NT		
☐ Phellandrene	NT		
Caryophyllene Oxide	NT		
Terpineol	NT		
☐ Pinene	NT		
R-(+)-Pulegone	NT		
Geranyl Acetate	NT		
Citronellol	NT		
p-Cymene	NT		
Ocimene	NT		
Guaiol	NT		
Phytol	NT		
Isoborneol	NT		

Total Terpene Concentration: NT

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com
Sample must be marked as public to be viewable

BV
Bryce Vale, LQC Verified By
Date: 07/01/2019
Josh Wurzer
Josh Wurzer, President
Date: 07/01/2019
CoA ID: 190627T006-001 - Page 1 of 3

Sample Name: Sour Diesel Rosin
 LIMS Sample ID: 190627T006
 Batch #: 01-KANAG-SD-1G-LR
 Sample Metric ID:
 Sample Type: Concentrate, Product Inhalable
 Batch Count: 1276 Unit(s)
 Sample Count: 13 Unit(s)
 Unit Mass: 1 Grams per Unit
 Serving Mass:
 Density:

Date Collected: 06/27/2019
 Date Received: 06/27/2019
 Tested for: Accention Inc.
 License #: C11-18-0000156-TEMP
 Address: 711 Independent Rd. Oakland, CA 94621
 Produced by: Trichometry Inc
 License #: CDPH-10003212
 Address: 1881 Barnett Rd. Unit #7 Redway CA 95560

Overall result for batch 01-KANAG-SD-1G-LR: Pass

Pesticide Test Results - Pass

06/30/2019

Pesticide, Fungicide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Abamectin	Pass	ND	0.1	0.030 / 0.091
Acephate	Pass	ND	0.1	0.013 / 0.039
Acequinocyl	Pass	ND	0.1	0.010 / 0.031
Acetamiprid	Pass	ND	0.1	0.013 / 0.038
Azoxystrobin	Pass	ND	0.1	0.015 / 0.047
Bifenazate	Pass	ND	0.1	0.012 / 0.035
Bifenthrin	Pass	ND	3.0	0.013 / 0.038
Boscalid	Pass	ND	0.1	0.008 / 0.023
Captan	Pass	ND	0.7	0.099 / 0.300
Carbaryl	Pass	ND	0.5	0.014 / 0.043
Chlorantraniliprole	Pass	ND	10.0	0.020 / 0.061
Clofentezine	Pass	ND	0.1	0.009 / 0.027
Cyfluthrin	Pass	ND	2.0	0.099 / 0.299
Cypermethrin	Pass	ND	1.0	0.030 / 0.091
Diazinon	Pass	ND	0.1	0.009 / 0.027
Dimethomorph	Pass	ND	2.0	0.018 / 0.055
Etoxazole	Pass	ND	0.1	0.007 / 0.022
Fenhexamid	Pass	ND	0.1	0.015 / 0.045
Fenpyroximate	Pass	ND	0.1	0.012 / 0.036
Fonicamid	Pass	ND	0.1	0.022 / 0.066
Fludioxonil	Pass	ND	0.1	0.020 / 0.061
Hexythiazox	Pass	ND	0.1	0.009 / 0.027
Imidacloprid	Pass	ND	5.0	0.017 / 0.050
Kresoxim-methyl	Pass	ND	0.1	0.010 / 0.029
Malathion	Pass	ND	0.5	0.006 / 0.019
Metalaxyl	Pass	ND	2.0	0.011 / 0.033
Methomyl	Pass	ND	1.0	0.022 / 0.067
Myclobutanil	Pass	ND	0.1	0.015 / 0.044
Naled	Pass	ND	0.1	0.010 / 0.031
Oxamyl	Pass	ND	0.5	0.014 / 0.042
Pentachloronitrobenzene	Pass	ND	0.1	0.020 / 0.061
Permethrin	Pass	ND	0.5	0.027 / 0.082
Phosmet	Pass	ND	0.1	0.010 / 0.030
Piperonylbutoxide	Pass	ND	3.0	0.007 / 0.020
Prallethrin	Pass	ND	0.1	0.011 / 0.032
Propiconazole	Pass	ND	0.1	0.004 / 0.013
Pyrethrins	Pass	ND	0.5	0.012 / 0.036
Pyridaben	Pass	ND	0.1	0.007 / 0.020
Spinetoram	Pass	ND	0.1	0.006 / 0.017
Spinosad	Pass	ND	0.1	0.010 / 0.031
Spiromesifen	Pass	ND	0.1	0.005 / 0.015
Spirotetramat	Pass	ND	0.1	0.014 / 0.042
Tebuconazole	Pass	ND	0.1	0.006 / 0.018
Thiamethoxam	Pass	ND	5.0	0.011 / 0.033
Trifloxystrobin	Pass	ND	0.1	0.007 / 0.020

Mycotoxin Test Results - Pass

06/29/2019

Mycotoxin analysis utilizing HPLC-Mass Spectrometry

		Results (µg/kg)	Action Limit µg/kg	LOD / LOQ µg/kg
Aflatoxin B1, B2, G1, G2	Pass	ND	20.0	6.000 / 18.000
Ochratoxin A	Pass	ND	20.0	6.000 / 18.000

Pesticide Test Results - Pass

06/30/2019

Pesticide, Fungicide and plant growth regulator analysis utilizing HPLC-Mass Spectrometry and GC-Mass Spectrometry

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Aldicarb	Pass	ND	ND	0.030 / 0.091
Carbofuran	Pass	ND	ND	0.029 / 0.089
Chlordane	Pass	ND	ND	0.032 / 0.097
Chlorfenapyr	Pass	ND	ND	0.030 / 0.090
Chlorpyrifos	Pass	ND	ND	0.029 / 0.089
Coumaphos	Pass	ND	ND	0.029 / 0.089
Daminozide	Pass	ND	ND	0.030 / 0.091
DDVP (Dichlorvos)	Pass	ND	ND	0.029 / 0.089
Dimethoate	Pass	ND	ND	0.029 / 0.089
Ethoprop(hos)	Pass	ND	ND	0.029 / 0.089
Etofenprox	Pass	ND	ND	0.029 / 0.089
Fenoxycarb	Pass	ND	ND	0.029 / 0.089
Fipronil	Pass	ND	ND	0.029 / 0.089
Imazalil	Pass	ND	ND	0.029 / 0.089
Methiocarb	Pass	ND	ND	0.029 / 0.089
Methyl parathion	Pass	ND	ND	0.029 / 0.089
Mevinphos	Pass	ND	ND	0.029 / 0.089
Pacllobutrazol	Pass	ND	ND	0.029 / 0.089
Propoxur	Pass	ND	ND	0.029 / 0.089
Spiroxamine	Pass	ND	ND	0.029 / 0.089
Thiacloprid	Pass	ND	ND	0.029 / 0.089

Heavy Metal Test Results - Pass

06/30/2019

Heavy metal analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

		Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
Cadmium	Pass	<LOQ	0.2	0.012 / 0.035
Lead	Pass	ND	0.5	0.031 / 0.095
Arsenic	Pass	<LOQ	0.2	0.013 / 0.039
Mercury	Pass	ND	0.1	0.002 / 0.005

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
 Authority: Section 26013, Business and Professions Code.
 Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com
 Sample must be marked as public to be viewable

BV

Bryce Vale, LQC Verified By
 Date: 07/01/2019

Josh Wurzer

Josh Wurzer, President
 Date: 07/01/2019

Sample Name: Sour Diesel Rosin
LIMS Sample ID: 190627T006
Batch #: 01-KANAG-SD-1G-LR
Sample Metric ID:
Sample Type: Concentrate, Product Inhalable
Batch Count: 1276 Unit(s)
Sample Count: 13 Unit(s)
Unit Mass: 1 Grams per Unit
Serving Mass:
Density:

Date Collected: 06/27/2019
Date Received: 06/27/2019
Tested for: Accention Inc.
License #: C11-18-0000156-TEMP
Address: 711 Independent Rd. Oakland, CA 94621
Produced by: Trichometry Inc
License #: CDPH-10003212
Address: 1881 Barnett Rd. Unit #7 Redway CA 95560

Overall result for batch 01-KANAG-SD-1G-LR: Pass

Residual Solvent Test Results - Pass

06/30/2019

Residual Solvent analysis utilizing Gas Chromatography - Mass Spectrometry (GC - MS)

	Results (µg/g)	Action Limit µg/g	LOD / LOQ µg/g
1,2-Dichloroethane	Pass ND	1.0	0.111 / 0.336
Benzene	Pass ND	1.0	0.043 / 0.132
Chloroform	Pass ND	1.0	0.064 / 0.195
Ethylene Oxide	Pass <LOQ	1.0	0.136 / 0.413
Methylene chloride	Pass ND	1.0	0.172 / 0.521
Trichloroethylene	Pass ND	1.0	0.040 / 0.120
Acetone	Pass <LOQ	5000.0	14.703 / 44.549
Acetonitrile	Pass ND	410.0	2.727 / 8.262
Butane	Pass ND	5000.0	5.672 / 17.185
Ethanol	Pass <LOQ	5000.0	11.775 / 35.679
Ethyl acetate	Pass ND	5000.0	16.227 / 49.169
Ethyl ether	Pass ND	5000.0	11.608 / 35.172
Heptane	Pass ND	5000.0	12.982 / 39.336
Hexane	Pass ND	290.0	1.816 / 5.502
Isopropyl Alcohol	Pass 128.869	5000.0	15.358 / 46.536
Methanol	Pass ND	3000.0	15.584 / 47.220
Pentane	Pass ND	5000.0	12.355 / 37.434
Propane	Pass ND	5000.0	1.359 / 4.117
Toluene	Pass ND	890.0	7.174 / 21.736
Total Xylenes	Pass ND	2170.0	34.438 / 104.347

Note

Microbiological Test Results - Pass

06/30/2019

PCR and fluorescence detection of microbiological impurities

	Results	Action Limit
Shiga toxin-producing Escherichia coli	Pass ND	ND
Salmonella spp.	Pass ND	ND
Aspergillus fumigatus	Pass ND	ND
Aspergillus flavus	Pass ND	ND
Aspergillus niger	Pass ND	ND
Aspergillus terreus	Pass ND	ND

Foreign Material Test Results - Pass

06/28/2019

Pass

Sample Certification

California Code of Regulations Title 16 Effect Date January 16, 2019
Authority: Section 26013, Business and Professions Code.
Reference: Sections 26100, 26104 and 26110, Business and Professions Code.



Scan to verify at sclabs.com
Sample must be marked as public to be viewable

BV
Bryce Vale, LQC Verified By
Date: 07/01/2019
Josh Wurzer
Josh Wurzer, President
Date: 07/01/2019
CoA ID: 190627T006-001 - Page 3 of 3